

CERATHERM T25

A7544XG

SILVER ecovadis

CERATHERM T25 | Exposed bath & shower mixer 315x185x70 mm, 161 mm spout projection in matt black finish, 22.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Safety stop


Image & drawing







General Information		
Product type:	Bath & shower mixers	
Sub product type:	Exposed bath & shower mixer	
Brand:	Ideal Standard	
Suite name:	CERATHERM T25	
Designer:	Ideal Standard	
Colour:	XG - Matt Black	
Surface finish effect:	matt	
Height (mm):	70	
Width (mm):	315	
Length / Projection (mm):	185	
Fixing method:	S-coupling	
Net weight (kg):	1.95	
VVS:	722615121	
EAN code:	4015413350556	

Features







1	*
	Do



-

Cool Body technology

General information

6 •40°∢

ECO SAVIN

Water & Energy savings

Safety stop

wnloads

- EPD
- Installation Guide
- Declaration of Conformity
- Spare Parts List

Product standard & certifications

Thermostatic function

Additional standards:	EN 1111
ACS certificate name:	19 ACC LY 746_747

Product specifications

!	
Amount of escutcheon(s):	2
Amount of handles:	2
Colour code:	XG
Colour description:	matt black
Cool Body technology:	Yes
ON / OFF S-Connectors:	No
Flushing time adjustable:	No
Handle application:	Volume & temperature control
Handle position:	Lateral
Low-pressure model:	No
Material:	Metal
Material of escutcheon(s):	Plastic
Material of handle:	Plastic

CERATHERM T25



CERATHERM T25 | Exposed bath & shower mixer 315x185x70 mm, 161 mm spout projection in matt black finish, 22.0 l/min (3 bar) | Thermostatic function, Water & Energy savings, Cool Body technology, Safety stop

Material quality:	Brass
Max. flow rate at 3 bar (l):	22.0
Max. flow rate at 3 bar (l) for all outlets:	22/22
Max. flow rate at 3 bar (l) for handspray:	22
Max. flow rate at 3 bar (l) for spout:	22
Max. operating pressure (bar):	10
Min. operating pressure (bar):	0.5
Noise reduced S-Connectors:	No
PVD technology:	No
Shape of escutcheon(s):	Round
Shower hose connection thread:	G 1/2
Spout model:	Fixed
Surface cover:	coated
Surface finish effect:	matt
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Temperature blocking at (°):	40
Temperature limiter:	Yes
Thermostatic:	Yes
Type of handle:	Rotary knob
Type of temperature control:	Thermostatic
With S-couplings:	Yes
With check valve:	Yes
With diverter unit:	Yes
With escutcheon(s):	Yes
With handle(s):	Yes
With handspray set:	No
With head shower:	No
With outlet:	Yes
With shelve(s):	No
With shower kit:	No
Fixing method:	S-coupling
Handle fixation position:	Тор
Mounting method:	Wall

SILVER 2023 ecovadis





Your local contact:

België • Belgique

Ideal Standard Produktions GmbH Ikaroslaan 18 B-1930 Zaventem ① +32 2 325 66 00 ⊒ +32 2 325 66 01 www.idealstandard.be

България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 Ф +359 885 938 880 office@idealstandard.com www.idealstandard.bg

Česká republika

Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

Deutschland

Ideal Standard GmbH Euskirchener Straße 80 53121 Bonn ① +49 (0)228 521-0 ⊒ +49 (0)228 521-241 ⊠ idealstandard.de@idealstandard.com www.idealstandard.de

Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 (1) +353 1 4564525 www.idealstandard.ie

España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) (1) +34 93 561 80 00 www.idealstandard.es

Ελλάδα

Ideal Standard S. Α. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris (2) +33 (0)1 49 38 81 34

- 0 +35 (0)1 49 58 81 54
- sav.idealstandard@idealstandard.com
 (demandes techniques) /
 devis.chantier@idealstandard.com
 (demandes commerciales)
 www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia → +39 (0)2 28881
 info@idealstandard.it
 www.idealstandard.it

Nederland

Österreich

Ideal Standard GmbH Zweigniederlassung Österreich Erzherzog-Karl-Str. 131–135 1220 Wien Österreich ③ +43 125 66 222-0 ⊒ +43 125 66 222-625 www.idealstandard.at

Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

România

Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija © +381 11 7138 058 www.idealstandard.rs

United Kingdom